



材料安全数据表

# Material Safety Data Sheet

本报告本年度有效 有效期至 2025 年 12 月 31 日

Report No.: TSZ25D9031A01-06

样品名称: 锂离子电池

Sample name: **Li-ion Battery** 

样品型号:

18650

Sample model:

深圳市大正能源有限公司

Applicant:

委托单位:

Shenzhen Da zheng energy co.,LTD.

签发时间 Date of issue: 2025.04.21

Written by 强威和 Approved by 段72 涛

深圳天溯计量检测股份有限公司

Shenzhen Tiansu Calibration and Testing Co., Ltd.

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Page 2 / 11 Pages

Report No.: TSZ25D9031A01-06

\* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request. 这份材料安全数据表是根据客户提供的信息编辑,其内容和格式按客户要求来修订。

太左	立 ハ	-化学品	刀. 人.	ルルニンロ
禹一	- 尚) //-	-11/2/11	· // //- /	
214	PIV //	107 44	· /	正 777・グイ

## Section 1-Chemical Product and Company Identification

产品名称	锂离子电池	
Product Name	Li-ion Battery	
型号	18650	
Model	16030	
商标		
Trade Mark		
额定参数	3.7V/2000mAh/7.4Wh	
Ratings	3.7 V/2000IIIAII/7.4VVII	
重量	44.500g	
Weight	44.500g	
生产单位	深圳市大正能源有限公司	
Manufacturer	Shenzhen Da zheng energy co.,LTD.	
生产单位地址	深圳市龙岗区龙岗街道南联社区向银路35-1号安旭商务园综合楼509	
Manufacturer	509, An Xu Business Park Complex, 35-1 Xiang Yin Road, Nan Lian	
Address	community, Longgang Street, Longgang District, Shenzhen City,	
Address	Guangdong Province, China	
应急电话	15112355558	
Emergency Telephone	15112355558	
传真		
Fax		

### 第二部分-成分信息

# **Section 2- Composition Information**

化学成分	化学式	CAS号	重量含量(%)
<b>Chemical Composition</b>	Chemical Formula	CAS No.	Weight (%)
钴酸锂	LiCoO <sub>2</sub>	12190-79-3	15 - 40
Lithium cobaltate		12190-79-3	13 - 40
石墨	С	7782-42-5	10 - 30
Graphite	C	1102-42-3	10 - 30
六氟磷酸锂			
Lithium	$LiPF_6$	21324-40-3	10 - 30
hexafluorophosphate			
铜箔	Cu	7440-50-8	7-13

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China

Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Page 3 / 11 Pages

Report No.: TSZ25D9031A01-06

Copper	5			
00PP01				
铝箔	Α.Ι	7400.00.5	F 40	
Aluminium	Al	7429-90-5	5-10	
·····································				
*1-	Ni	7440-02-0	1-5	
Nickel	<b>女</b> 一 山 ,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
	第二部分	}-危险性概述		
	Section 3- Haz	zards Identification		
紧急情况概述	不适用			
Emergency overview	N/A			
标签元素				
Label elements:				
危险标签图	不适用			
Hazard pictogram(s)	Not Applicable			
提示语	不适用			
Signal word	Not Applicable			
危险声明	不适用			
Hazard statement(s)	Not Applicable			
预防声明				
Precautionary statemen				
预防	不适用			
Prevention	Not Applicable			
反应	, -/.,	不适用		
Response	Not Applicable			
废弃处理	不适用			
Disposal	Not Applicable			
环境危害	无相关信息			
Environmental hazards:				
重要症状	见第11部分更多信息			
mportant symptoms: See section 11 for more information				
	第四部	分-急救措施		
Section 4- First Aid Measures				
	万一接触,立即	用大量的清水冲洗至少15分钟,	翻起上下眼睑,直到化学的残	
眼睛接触	留物消失为止,			
Eye contact		plenty of water for least 15 mil	nutes, occasionally lifting the	
		er eyelids. Get medical aid.		
		量的水冲洗至少15分钟,同时除	去污染的衣物和鞋子, 迅速就	
皮肤接触	医。			
Skin contact		ninated clothes and rinse skin w	ith plenty of water or shower	
		Get medical aid.	-	
HT. \	立即从暴露处移	至空气清新处,如果呼吸困难给	予输氧, 立即就医。	
吸入		exposure and move to fresh air		
Inhalation	available.	•	, ,,,	
摄入		水,如果当事人仍然清醒可以采	取催吐的方法,并且立即就医。	
W.C	1 201411411 1 374 34	14 1 12 11 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China

Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Page 4 / 11 Pages

Report No.: TSZ25D9031A01-06

Ingestion	Give at least 2 glasses of milk or water. Induce vomiting unless patient is		
	unconscious. Call a physician.		
第五部分-消防措施			
04			
Secti	on 5- Fire Fighting Measures		
燃点	不适用		
Flash Point	N/A		
自燃温度	不适用		
Auto-Ignition Temperature	N/A		
灭火介质	碳氢表面活性剂, 二氧化碳		
Extinguishing Media	Hydrocarbon surfactant, CO <sub>2</sub>		
特殊灭火程序	自给式呼吸器		
Special Fire-Fighting Procedures	Self-contained breathing apparatus		
异常火灾或爆炸	   当电芯暴露于过热的环境中时,安全阀可能会打开		
Unusual Fire and Explosion Hazards	Cell may vent when subjected to excessive heat-exposing battery contents		
燃烧产生的危险物品	一氧化碳,二氧化碳,锂氧化物烟气		
Hazardous Combustion Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.		

第六部分-泄露应急处理

#### Section 6- Accidental Release Measures

#### 个人预防措施、保护设备和应急程序:

如果电池被泄露,让人员离开该区域直到烟雾消散。提供最大限度的通风,清除有害气体。首选的反应就是离开这个地区并消散气体,避免皮肤和眼睛接触或吸入气体。用吸收剂清除溢出的液体然后焚烧。如果电池泄漏发生时,液体可以用砂、泥土或其他惰性物质来吸收,污染区域应该保持通风。

#### Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

#### 环境预防措施:

不允许产品到达排水系统或任何水源。

如果渗透进排水系统或任何水源, 通知相应的部门。

不允许进入下水道/表面或地下水。

#### **Environment precautions:**

Do not allow product to reach sewage system or any water source.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Page 5 / 11 Pages

Report No.: TSZ25D9031A01-06

#### 抑制和清理材料的方法:

如果电池外壳被拆除,少量电解液可能会泄漏。收集所有材料放进一个塑料容器。根据当地的法律法规来处置,避免 可溶物质进入大地、下水道或水源。

#### Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth,

canalization or waters.			
第七部分-操作处置和储存			
Section 7- Handling and Storage			
操作处置 <b>Handling</b>	禁止打开、毁坏或焚烧电池,因为电池有可能在这些处理过程中发生爆炸、破裂或泄露等事故。禁止将电池短路、过充、强制放电或扔入火中。禁止挤压或刺穿电池,或将电池浸入溶液中。 The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container.  Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire.  Do not crush or puncture the battery, or immerse in liquids.		
储存 Storage	禁止物理或电滥用,禁止高温储存,最好将电池储存在阴凉、干燥、通风及温度变化较小的环境中。 禁止将电池接触加热设备,或将电池长时间直接暴露在阳光中。 Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided.  Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.		
其他要注意的防范措施 Other Precautions	拆解、挤压、直接放入火中或高温条件下,电池可能发生爆炸和燃烧。禁止短接或将电池正负极错误的安装在设备中。 The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.  第八部分—接触控制和个体防护		
東八部分-接触控制和个体的扩 Section 8- Exposure Controls/Personal Protection			
设计控制 Engineering Controls	设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。 Use local exhaust ventilation or other engineering controls to control sources		

of dust, mist, fumes and vapor.

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China E-mail: tsjc@tiansu.org Tel: 0755-89457984 Web: www.tiansu.org





Page 6 / 11 Pages

Report No.: TSZ25D9031A01-06

	Keep away from heat and open flame. Store in a cool, dry place.
	呼吸防护:在正常情况下不需要。
	皮肤和身体防护:在正常情况下不需要,如果处理一个裂开的或泄漏的电池需
	要穿戴适当的防护服和手套。
	手保护:如果处理一个裂开的或泄漏的电池需要戴适当手套。
	   眼睛保护:在正常情况下不需要,如果处理一个裂开的或泄漏的电池需要戴上
   个人防护装备	安全眼镜。
Personal Protective Equipment	Respiratory Protection: Not necessary under normal conditions.
	Skin and body Protection: Not necessary under normal conditions, Wear
	suitable protective clothing and gloves if handling an open or leaking battery.
	Hand protection: Wear suitable gloves if handling an open or leaking battery.
	Eye Protection: Not necessary under normal conditions, Wear safety
	glasses if handling an open or leaking battery.
	在工作区域应该有一个立即可以使用的安全淋浴和喷水洗眼器。
其它防护装备	Have a safety shower and eye wash fountain readily available in the
Other Protective Equipment	immediate work area.
刀儿₩芬	在工作区域不得进食,饮水或吸烟。
□ 卫生措施 Hygiene Measures	Do not eat, drink, or smoke in work area. Maintain good housekeeping.
76	
	第九部分-物理和化学特性
Section 9-	Physical and Chemical Properties
颜色	蓝色
Color	Blue
气味	
	不适用
Odour	不适用 Not Applicable
Odour 酸碱度	不适用 Not Applicable 不适用
Odour 酸碱度 pH	不适用 Not Applicable  不适用 Not Applicable
Odour 酸碱度 pH 熔点/凝固点	不适用 Not Applicable 不适用 Not Applicable 不适用
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point	不适用 Not Applicable 不适用 Not Applicable 不适用 Not Applicable  不适用 Not Applicable
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围:	不适用 Not Applicable 不适用 Not Applicable 不适用 Not Applicable 不适用 Not Applicable 不适用
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围: Boiling Point and Boiling range	不适用 Not Applicable
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围: Boiling Point and Boiling range 易燃度	不适用 Not Applicable 不适用
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围: Boiling Point and Boiling range 易燃度 Flash Point	不适用 Not Applicable
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围: Boiling Point and Boiling range 易燃度 Flash Point 自燃或爆炸的上、下极限	不适用 Not Applicable
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围: Boiling Point and Boiling range 易燃度 Flash Point 自燃或爆炸的上、下极限 Upper/lower flammability or	不适用 Not Applicable
Odour 酸碱度 pH 熔点/凝固点 Melting point/freezing point 沸点、沸点范围: Boiling Point and Boiling range 易燃度 Flash Point 自燃或爆炸的上、下极限	不适用 Not Applicable

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Report No.: TSZ25D9031A01-06 Page 7 / 11 Pages 蒸汽密度 不适用 **Vapor Density** Not Applicable 相对密度 不适用 Relative density Not Applicable 水溶性 不适用 Solubility in Water Not Applicable 不适用 自燃温度 Auto-ignition temperature Not Applicable 不适用 分解温度 Not Applicable **Decomposition temperature** 蒸发速率 不适用 **Evaporation rate** Not Applicable 易燃性(土壤、天然气) 不适用 Flammability (soil, gas) Not Applicable 不适用 粘性 **Viscosity** Not Applicable 第十部分 稳定性和反应活性 Section 10- Stability and reactivity 产品在第七部分所述的条件下稳定 稳定性 **Stability** The product is stable under conditions described Section 7 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路,长时间暴 露在潮湿的条件下。 应避免的条件 Conditions to Avoid Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 氧化剂,酸,碱。 不兼容的材料 **Incompatible Materials** Oxidizing agents, acid, base. 危险分解物 一氧化碳、二氧化碳、氧化锂烟雾。 **Hazardous Decomposition** Carbon monoxide, carbon dioxide, lithium oxide fumes. **Products** 危险反应的可能性 不适用 Possibility of Hazardous Not Applicable Reaction 第十一部分-毒理学资料 **Section 11 - Toxicological Information** 

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984

刺激



如果电芯的外壳受到机械、热或电的滥用到达一定程度, 会发生刺激的风险。



Report No.: TSZ25D9031A01-06

Invitation	Page 8 / 11 Pages
Irritation	如果发生这种情况,可能会刺激皮肤、眼睛和呼吸道。
	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs,
	irritation to the skin, eyes and respiratory tract may occur.
致过敏	
Sensitization	Not Applicable
影响神经系统	不适用
Neurological Effects	Not Applicable
致畸	不适用
Teratogenicity	Not Applicable
再生毒性	不适用
Reproductive Toxicity	Not Applicable
诱变(遗传效应)	不适用
Mutagenicity (Genetic Effects)	Not Applicable
附带材料毒理性	   不适用
Toxicologically Synergistic	Not Applicable
Materials	
	第十二部分-生态学资料
Sect	ion 12- Ecological Information
生态毒性	不适用
<b>Ecological Toxicity</b>	Not Applicable
在土壤中的流动性	不适用
Mobility in soil	Not Applicable
持久性和分解性	不适用
Persistence and Degradability	Not Applicable
生物聚积	不适用
Bioaccumulation potential	Not Applicable
其他不利影响	不适用
Other Adverse Effects	Not Applicable

第十三部分-废弃处置

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





7ian Su	Report No.: TSZ25D9031A01-06 Page 9 / 11 Pages	
Section 13- Disposal Considerations		
产品废弃处理建议		
Product disposal	遵守当地、州和联邦法律和法规。	
recommendation	Observe local, state and federal laws and regulations.	
包装处理建议	   废弃处理必须根据当地法规	
Packaging disposal recommendation	Disposal must be made according to official regulations	
	第十四部分-运输信息	
Section 14 - Transport Information		
运输标签	锂电池标签	
Label for conveyance	Lithium Battery Label	
UN 编号	UN 3480 或 UN 3481	
UN Number	UN 3480 or UN 3481	
包装等级		
Packing group		
海洋污染物	无污染	
Marine pollutant	No	
	锂离子电池(包括锂离子聚合物电池)	
	Lithium ion Batteries (Including lithium ion polymer batteries)	
	锂离子电池和设备包装在一起(包括锂离子聚合物电池)	
联合国运输专用名称	Lithium ion Batteries packed with equipment (Including lithium ion polymer	
UN Proper shipping name	batteries)	
	设备里内含锂离子电池(包括锂离子聚合物电池)	
	Lithium ion Batteries contained in equipments (Including lithium ion polymer	
	batteries)	
	运输风险类别 9 类危险品(965IB)或者不适用(966~967 II)	
	Transport hazard class (es) Class 9 (965IB) or N/A (966~967 II)	
ICAO/IATA	可根据国际民用航空组织(ICAO), TI 或国际航空协会(IATA) DGR 66 版本包装说明 965 第 IB 节规定或 966~967 第 II 节规定进行空运	

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984



Can be shipped by air in accordance with international Civil Aviation Organization (ICAO) , TI or International Air Transport Association (IATA) DGR  $66^{th}$  Packing

Instructions Section IB of 965 or Section II of 966 $\sim$ 967 appropriately.



Page 10 / 11 Pages

AND THE RESERVE OF THE PERSON	Page 10 / 11 Pages
IMDG CODE	《国际海运危险货物规则》特殊规定 188 IMDG CODE (Amdt 42-24) International Maritime Dangerous Goods Code under Special Provision 188 IMDG CODE (Amdt 42-24)
ADR	《国际危险货物道路运输欧洲协定》(ADR)根据特殊规定 188 European Agreement concerning the International Carriage of Dangerous Goods by Road under Special Provision 188
RID	《国际危险货物铁路运输欧洲协定》(RID)根据特殊规定 188 Regulations concerning the International Carriage of Dangerous Goods by Rail under Special Provision 188

危险品规例规定,运输前,每一个电池设计须通过联合国试验和标准手册38.3节所载的测试。

The dangerous goods regulations require that each battery design be subject to tests contained in Section 38.3 of the UN Manual of Tests and Criteria prior to being offered for transport.

第十五部分 法规信息

### Section 15- Regulatory information

#### 法律信息

#### Law information

《危险物品规则》

《Dangerous Goods Regulations》

《对危险货物运输的有关规定的建议》

《Recommendation on the Transport of Dangerous Goods Model Regulations》

《国际海运危险货物规则》

《International Maritime Dangerous Goods》

《危险品安全运输技术指令》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险货物分类和品名编号》

《Classification and code of dangerous Goods》

《消费产品安全法》

《Consumer Product Safety Act》(CPSA)

《联邦环境污染控制法》

《Federal Environmental Pollution Control Act》 (FEPCA)

《资源保护及恢复法案》

《Resource Conservation and Recovery Act》 (RCRA)

《国际危险货物道路运输欧洲协定》

《European Agreement concerning the International Carriage of Dangerous》

《国际危险货物铁路运输欧洲协定》

《Regulations concerning the International Carriage of Dangerous》

根据所有联邦、州和地方法律。

In according with all Federal, State and local laws.



Report No.: TSZ25D9031A01-06



Page 11 / 11 Pages

Report No.: TSZ25D9031A01-06

#### 第十六部分-其它信息

#### Section 16- Other Information

上面的信息被认为是准确代表了目前最好的信息提供给我们。然而,本文没有对商品性能保证或任何其他保证,包括明示或暗示,对这类信息的使用我们不承担责任。用户应作出自己的调查,以确定是否适合其特定用途的信息。虽然在此处所包含的数据的准备已经采取了合理的预防措施,这是仅为你提供的信息、考虑和调查。这个化学品安全技术说明书为本产品提供了安全操作指南和使用指南,它并不能对所有可能发生的情况提供建议,因此,您特殊使用该产品应先进行评估,以确定是否需要额外的预防措施。

The information above is believed to be accurate and represents the best information currently available to us. However, this document makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

-- End of Report ---- 报告结束 --



